## Phishproof: Microsoft ATP Bypass Rules

Last Modified on 06/15/2021 2:26 pm CDT

To set up a mail flow rule to bypass ATP link processing:

- 1. Create a new mail flow rule in your Exchange/Office Admin center.
- 2. Give the rule a name such as "Bypass ATP Links"
- 3. Click More Options.
- 4. From the Apply this rule if.... drop-down menu, select The senders then select IP address is in any of these ranges or exactly matches.
- 5. Enter our IP addresses.
- 69.72.47.208
- 69.72.47.209
- 69.72.47.21
- 69.72.47.210
- 69.72.47.211
- 69.72.47.3
- 69.72.47.30
- 69.72.47.31
- 69.72.47.56
- 159.135.234.148
- 6. From the **Do the following...** drop-down menu, select **Modify the message properties...** and then **set a message header**.
  - Click the first \*Enter text... link and set the message header to:
    - X-MS-Exchange-Organization-SkipSafeLinksProcessing
    - Click the second \*Enter text... link and set the value to: 1
- 7. Click Save.

Bypass ATP Links

Name:	
Bypass ATP Links	
*Apply this rule if	
Sender's IP address is in the range	▼
add condition	
*Do the following	
Set the message header to this value	Set the message header <u>'X-MS-Exchange-Organization-</u> SkipSafel integrocessing' to the value 11
add action	Supportering to the value
Except if	
add exception	
Properties of this rule:	

## Below are the steps to set up a mail flow rule to bypass ATP Attachment Processing:

- 1. Create a new mail flow rule in your Exchange/Office Admin center.
- 2. Give the rule a name such as "Bypass ATP Attachments"
- 3. Click More Options.
- 4. From the Apply this rule if... drop-down, select The senders then select IP address is in any of these ranges

or exactly matches.

- 5. Enter our IP addresses.
- 69.72.47.208
- 69.72.47.209
- 69.72.47.21
- 69.72.47.210
- 69.72.47.211
- 69.72.47.3
- 69.72.47.30
- 69.72.47.31
- 69.72.47.56
- 159.135.234.148
- 6. From the **Do the following...** drop-down, select **Modify the message properties...** and then **set a message header**.
  - Click the first \*Enter text... link and set the message header to:
    - X-MS-Exchange-Organization-SkipSafeAttachmentProcessing
    - Click the second \*Enter text... link and set the value to: 1
- 7. Click Save.

Bypass ATP - Attachments

	Name:	
	Bypass ATP - Attachments	
	*Apply this rule if	
	Sender's IP address is in the range	<u>-</u>
	add condition	
	*Do the following	~
×	Set the message header to this value	Set the message header <u>'X-MS-Exchange-Organization-</u>
	and	Supple Attachment rocessing to the value T
×	Select one	
	add action	
	Except if	
	add exception	
	Properties of this rule:	